

Datum: _____

Name:				30 / 40
	Morgens	Mittags	Abends	Spät
Bolus				
IE / KE				
KE-Verteilung				
Basis				

Eß-Korrektur

Schlaf-Korrektur

BZ	+ KE / Bolus	*SEA		BZ	+ Bolus	+ KE
< 50	+ 1,0 – 2,0 KE	0 min.		< 50		+ 2,0 – 3,0 KE
50 – 65	+ 0,5 – 1,0 KE	0 min.		50 – 70		+ 1,0 – 2,0 KE
65 – 80	+ 0,5 KE	10 min.		70 – 90		+ 0,5 – 1,0 KE
80 – 120		15 min.	Zielbereich	90 – 140		
120 – 150	+ 1 IE	20 min.		140 – 180	+ 1 IE	
150 – 180	+ 2 IE	25 min.		180 – 220	+ 2 IE	
180 – 210	+ 3 IE	30 min.	BZ > 240/300	220 – 300	+ 3 IE	
210 – 270	+ 4 IE	40 min.	Aceton testen!	300 – 380	+ 4 IE	
270 – 330	+ 5 IE	50 min.		380 – 460	+ 5 IE	
330 – 390	+ 6 IE	60 min.		460 – 540	+ 6 IE	
390 – 450	+ 7 IE	60 min.				
450 – 510	+ 8 IE	60 min.				

* SEA= Spritz-Eß-Abstand